

SIAST Palliser Campus

Mathematics

MAT 235

Lecture Notes and Examples

Unit 1

Introduction to Integration

by Alan Dill and Robert G. Petry

published by the Department of Mathematics, SIAST Palliser Campus

Copyright © 2011 Alan Dill, Robert G. Petry.

Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled “GNU Free Documentation License”.

Permission is granted to retain (if desired) the original title of this document on modified copies.

History

- Original document produced in 2011 entitled “Introduction to Integration” written by Alan Dill and Robert G. Petry. Published by the Department of Mathematics, SIAST Palliser Campus. A transparent copy of this document is available via
<http://www.campioncollege.ca/about-us/faculty-listing/dr-robert-petry>

1 A Simple Painting Problem

In this section I will try to motivate what the main component of this course is all about, integration. This is intended as a sketchy overview - the details will be fleshed out in the subsequent material. You may want to read this again when you have finished the course to see that it makes sense!

Suppose I was deciding to make a “feature wall” in a room in my house by painting the wall a unique colour. Since I would only be buying paint for the one wall it would make sense to buy only exactly the amount of paint I needed. This amount would be determined by the area of my wall. For a rectangular wall this area is

$$A = HB$$

where H is the height of the wall and B is its base length. See Figure 1. So if the wall has height $H = 4$ m and base $B = 3$ m we’d have an area $A = 12$ m² to cover. If a litre of paint covers 15 m², I would need $\frac{12 \text{ m}^2}{15 \text{ m}^2/\text{litre}} = .8$ litres of paint, so a single 1-litre can would be sufficient.




Figure 1: A rectangular wall

Now suppose my feature wall was not a rectangle but looked like Figure 2 on the next page. Here the height H is not fixed, but varies across the wall. How would we calculate the area¹ now? One way would be to try to estimate the area by covering it with shapes for which we know how to calculate the area such as rectangles and triangles. In Figure 3 on the following page we see one way to estimate the area by adding a rectangle as before and two triangles for which we could also calculate the areas ($A_{\Delta} = \frac{(\text{base}) \cdot (\text{altitude})}{2}$). A second way to estimate the area is shown where we add several thin rectangles whose height varies with the wall height.

These approaches are only approximate however and if we were using expensive “paint” such as gilding a wall of a temple with gold, or if we were constructing a residential subdivision for which we had 20 identical feature walls to paint, the exact area of this wall would be desirable. If we order too much paint we are wasting money but if we don’t order enough we would lose money on our painters as they wait for more paint to be delivered! This course will allow us to solve such problems like calculating such an irregular area (and many more things) exactly or at least to excellent approximation.

The first thing we need to do is represent the problem mathematically. For instance, in the case of our irregular wall let’s draw an x -axis along the base of the wall and represent the varying height H with a *function* $f(x)$ as shown in Figure 4 on page 3 so that we know the height at every point x along the wall. If we let the wall start at $x = a = 1$ m and end at $x = b = 4$ m (so the base $B = b - a = 3$ m), then the function needs to be properly defined over the domain of values $[1, 4]$ (outside of this it can be whatever we want).

¹One might question that such an irregular shape even has a clearly defined area. An intuitive way to define the area would be to paint the wall and see how much paint we used. If it took 1.2 litres to paint it, then its area would be $(1.2 \text{ litres}) \cdot (15 \text{ m}^2/\text{litre}) = 18 \text{ m}^2$.




Figure 2: An irregular-shaped wall




Figure 3: Two ways to estimate the irregular area with a) one rectangle and two triangles and b) seven thin rectangles.

Now what's the area? We take our direction from case b) in Figure 3 and add up thin rectangles of *varying* height $H = f(x)$ and *equal* base width $B = dx$ (see Figure 4 on the next page), and we write the area as²

$$\int_a^b f(x) dx = \underbrace{\int_a^b}_{\text{Sum over rectangles from } a \text{ to } b} \underbrace{\underbrace{f(x)}_H \cdot \underbrace{dx}_B}_{\text{Area of rectangle at } x}$$

Here the \int sign is an S which reminds us we want to *sum* (or add) all the rectangles. We need to put the limits a and b on the sum so that we know the domain over which we want to add the rectangles. This expression is called a *definite integral* and it becomes mathematically precise if we make the base width dx “infinitely thin”. We’ll see how to do that in this course.

Now taking limits as things get infinitely small is what calculus is about. You’ve seen how to take a *derivative* of a function like our $f(x)$. Geometrically the derivative represents the slope of a tangent to the curve $y = f(x)$ at a point x . We wrote that derivative as $f'(x)$ or $\frac{dy}{dx}$. Now it turns out that evaluating the definite integral above (finding our area) can be done exactly if we calculate something

²Here dx is taken to be a single entity. The d is like the Δ in an expression like Δx . We write a d to distinguish the infinitesimal nature of the width.




Figure 4: We can represent the varying wall height H with a function $f(x)$. The exact wall area will be the sum of rectangles of height $f(x)$ and infinitesimal width dx between $x = a$ and $x = b$.

called the *antiderivative* of $f(x)$ which, like the derivative f' of f , is itself a function, now called $F(x)$. Given the name “antiderivative” you could guess correctly that finding this F is related to how you take derivatives. We’ll see how to do this. Once you know how to find $F(x)$ given a function f , you can get the definite integral (our area) easily by evaluating the expression

$$\int_a^b f(x) dx = F(b) - F(a)$$

We can find the area just by subtracting two numbers, F evaluated at $x = b$ minus F evaluated at $x = a$! Obviously figuring out how to get these antiderivatives will be pretty useful. The last equation is known as the *fundamental theorem of calculus*.

Now we need a symbol for this antiderivative F to make it clear which function f it is associated with. Just like we write the derivative of f by f' , we similarly write our antiderivative with a new symbol involving f ,

$$F = \int f(x) dx$$

The symbol on the right hand side is chosen because of the relation of F to the definite integral above. In fact we call F not only an antiderivative but also an *indefinite integral* for this reason. (Indefinite since there aren’t any a ’s or b ’s.)

Sadly we can’t always find an antiderivative function $F(x)$ for every function $f(x)$ and then we have to use some *numerical methods* (i.e. adding up small areas by hand) to estimate our definite integrals. We’ll see how to do that too.

So in summary in our course we will learn to do the following:

- Figure out how to calculate the antiderivative/indefinite integral $\int f(x) dx$ for a given function $f(x)$.

- Calculate the definite integral $\int_a^b f(x) dx$ using antiderivatives when they exist and numerically otherwise.
- Apply these integrals to other problems besides area.

Finally we'll introduce a different mathematical concept, *linear algebra*, in a final unit.

If you feel overwhelmed, this is only a road map. Hopefully at least we're now motivated to take the journey.

2 The Indefinite Integral

If we are given a function, we can differentiate the function, i.e. find its derivative. The derivative of a function is itself a function.

For example, if the given function is x^4 , its derivative is $4x^3$.

Just as we can reverse a process such as squaring (by taking the square root), we can also reverse the process of differentiation.

This means that if we are given a function, we can find another function that has the given function as its derivative.

We see from the above example that the derivative of x^4 is $4x^3$. Thus, if we are asked to find a function that has $4x^3$ as its derivative, we could give x^4 as an answer. In this case we say that x^4 is an *antiderivative* of $4x^3$.

It should be noted that x^4 is not the only possible antiderivative of $4x^3$. Since the derivative of a constant is zero, adding *any constant* to x^4 will give us another function whose derivative is $4x^3$. For example, $x^4 + 5$, $x^4 - 7$ and $x^4 + \pi$ are all antiderivatives of $4x^3$.

To show that $x^4 + \text{any constant}$ can be an antiderivative of $4x^3$, we write the general form of the antiderivative (also called the *indefinite integral*) of $4x^3$ as $x^4 + C$. Here C is called the *constant of integration*, and can have any value. We will see later on that, if additional information about the given function is available (such as its value for a given value of x), we can assign a specific value to the constant C .

We use a special symbol called an *integral sign* (\int) to denote the indefinite integral of a function. If $f(x)$ is a function whose indefinite integral is to be found, we write

$$\int f(x) dx = F(x) + C$$

where $f(x) = F'(x)$ and C is the constant of integration.³

What this means is, the function whose derivative is $f(x)$ (or equivalently, the function whose differential dF is $f(x)dx$) is $F(x) + C$.

The process of finding the indefinite integral of a function is called *integration*.

We can derive some basic rules for integration simply by reversing some of the basic rules for differentiation. These rules are given in Figure 5 on the following page.

³The student will note that we neglected this constant in our casual discussion in the introductory section.

$$\int f(x) dx = F(x) + C \quad (\text{where } f(x) = F'(x)) \quad (1)$$

$$\int du = u + C \quad (2)$$

$$\int a f(x) dx = a \int f(x) dx = a F(x) + C \quad (3)$$

$$\int [f(x) + g(x) + \dots] dx = \int f(x) dx + \int g(x) dx + \dots \quad (4)$$

$$\int x^n dx = \frac{x^{n+1}}{n+1} + C \quad (n \neq -1) \quad (5)$$

Figure 5: Rules for Integration

Examples

Perform the following integrations:

1. $\int 3x dx$

2. $\int x^4 dx$

3. $\int 2x^{\frac{3}{2}} dx$

4. $\int 6\sqrt[3]{x} dx$

5. $\int \frac{4}{\sqrt{x}} dx$

6. $\int \left(\frac{1}{x^3} + \frac{1}{2} \right) dx$

7. $\int (x\sqrt{x} - 5x^2) dx$

8. $\int (1 + 2x)^2 dx$

If we are given the derivative of a function in the form of an equation (this is a simple form of *differential equation*), we can find the original function (i.e. we can solve the differential equation) by integration, as in the example on the following page.

Additional Example (Text, p. 864)

- Problem 34

<p>Reading: Sec. 30-1, pp. 857-863 Problems: Ex. 1, p. 863 # 1-38 (all)</p>

3 More Rules of Integration

3.1 Integral of a Power of a Function

Suppose we are given a function $y = \frac{u^{n+1}}{n+1}$, where u is a function of x .

We can take the derivative of both sides using the rule for the derivative of a constant times a power of a function.

$$\begin{aligned}\frac{dy}{dx} &= \frac{1}{n+1} (n+1) u^n \frac{du}{dx} \\ \frac{dy}{dx} &= u^n \frac{du}{dx}\end{aligned}$$

We can put this into differential form by multiplying both sides by dx , then integrate both sides.

$$\begin{aligned}dy &= u^n du \\ \int dy &= \int u^n du \\ y + C &= \int u^n du\end{aligned}$$

But $y = \frac{u^{n+1}}{n+1}$. Substituting this expression for y gives us the following formula for the integral of a power of a function:

$\int u^n du = \frac{u^{n+1}}{n+1} + C \quad (n \neq -1) \tag{6}$

Note that the left hand side of this formula contains du , which is the differential of the function u . This differential is given by

$$du = \frac{du}{dx} dx$$

The quantity under the integral sign in Equation (6) **must** contain the differential du in addition to u^n . If it does not contain du , but contains a constant multiple of du , we can multiply by a constant to obtain the required expression for du , *provided we compensate by dividing by the same constant outside the integral sign*. The objective is to have both the function u and the differential du present following the integral sign. This must be done before the above integration formula can be used.

Examples

Integrate the following:

1. $\int (5x + 1)^2 dx$

2. $\int (x^2 + 1)^3 x dx$

3. $\int (x^3 - 2)(5x^2) dx$

4. $\int \frac{dx}{\sqrt{3x+1}}$

5. $\int \sqrt[3]{4-3x} dx$

6. $\int \frac{x+1}{\sqrt{x^2+2x}} dx$

Find the function whose derivative is given (i.e. solve each differential equation):

7. $\frac{dy}{dx} = \sqrt[4]{1-2x}$

8. $\frac{dy}{dx} = x(x^2 - 5)^2$

It should be noted that the solution of a differential equation, such as the last two examples, consists not of a number, but a function that makes the differential equation true.

3.2 Integral of a Reciprocal Function

You may have wondered why the rule (6) cannot be applied when $n = -1$. In that case the right hand side of the equation would then have zero in the denominator and we know dividing by zero is meaningless. However we can still integrate u^{-1} . If u is a function of x , the indefinite integral of $\frac{du}{u}$ is given by

$\int \frac{du}{u} = \ln u + C \quad (7)$

where $\ln |u|$ is the natural logarithm of the absolute value of u .

Note that, just as in the case of the power formula, the differential du *must be present* before the formula can be applied.

Examples

1. $\int \frac{dx}{1-x}$
2. $\int \frac{x dx}{3x^2+1}$
3. $\int \frac{(x-1) dx}{x^2-2x}$
4. $\int \frac{x^2 dx}{1-x^3}$
5. $\int \frac{x^2+1}{x^3+3x} dx$

3.3 Using a Table of Integrals or a Computer

The Table of Integrals (Textbook Appendix C, p. A-44) can be used to find many more integrals.⁴ The trick is to choose a given function u of x which makes your indefinite integral match an expression in the table. (The differential du must appear correctly as well up to a multiplicative constant which can be factored out of the integral as usual using Formula (3).) In this course students are not expected to solve these other possible indefinite integrals, but if they would like may try some by looking at Examples 29-43, on page 869 of the text.⁵

In practice one will often use computer programs to *symbolically* evaluate an integral in which you are interested. (i.e. to find an indefinite integral by searching for patterns as being done by hand here.) Figure 6 on the next page shows the computer program *wxMaxima* computing an indefinite integral. wxMaxima is a free (see wxmaxima.sourceforge.net) cross-platform (i.e. runs on Linux, Windows, or Mac) mathematics software package. Proprietary packages that perform similar calculations also exist (*Maple*, *Mathematica*, etc.). Note, however, that computers can only calculate what is possible. Unlike taking derivatives of common functions, not all such functions have an antiderivative which can be written in a closed form in terms of familiar functions.

⁴Note that there is nothing magic about a table of integrals, they arise simply by considering the forms that derivatives of known functions can take.

⁵Being able to only integrate x^n is still quite powerful. Formulas (3) and (4) then allow us to calculate the indefinite integral of any *polynomial* $f(x) = a_n x^n + a_{n-1} x^{n-1} + \dots + a_1 x + a_0$. The *Weierstrass approximation theorem* states that every continuous function defined on an interval $[a, b]$ can be approximated as closely as desired by such a polynomial function. As such our minimal integration tools can, in theory, find an approximate indefinite integral of arbitrary accuracy to any function by first approximating it with a polynomial.

Reading:

Sec. 30-2, pp. 864-868

Problems:

Ex. 2, p. 869 # 1-28 (all)




Figure 6: Screenshot of the computer program *wxMaxima* computing the indefinite integral $\int (5x^2 + 2x + 3 + \frac{1}{x}) dx$.

4 The Constant of Integration

When we integrate, we are finding a function whose derivative (or differential) is given. But since there is always a constant of integration, C , the resulting function is not unique, but actually represents a whole family of functions, each of which has a different value of C , but is otherwise the same (see Fig. 30-2 on page 871 of the text).

In order to “pin down” the value of C and get a unique function, we must be given some additional information, such as the coordinates of a point through which the function passes. We can use this information to evaluate the constant of integration.

If we are given the second derivative of a function, we can get the original function by integrating twice in succession. For each step, we get a constant of integration. To evaluate both constants, we need two additional pieces of information (for example, the coordinates of a point and the slope of the tangent line at that point).

Examples

1. Find the equation of the curve whose tangent slope at x is $\sqrt{6x-3}$ and which passes through $(2, -1)$.
2. The second derivative of a function is $12x^2$. The curve passes through $(1, -1)$ and the tangent slope at that point is 9. Find the function.

Additional Examples (Text, p. 873)

- Problem 8
- Problem 10
- Problem 12

Reading:

Sec. 30-3, pp. 870-872

Problems:

Ex. 3, p. 873 # 5-11 (odd)

5 Review Problems: Introduction to Integration

Questions:

1. Integrate the following:

(a) $\int (2 - 4x^2) \, dx$

(b) $\int x^2(x^3 - 3)^4 \, dx$

(c) $\int \frac{t+2}{t} \, dt$

2. Chapter 30 Review Problems, p. 883 # 1-9 (all), 24

Answers:

1. (a) $2x - \frac{4}{3}x^3 + C$
(b) $\frac{1}{15}(x^3 - 3)^5 + C$
(c) $t + 2 \ln |t| + C$
2. Chapter 30 (Answers to Even-Numbered Review Problems):
 2. $\frac{x^2}{2} + x - \frac{1}{2x^2} + C$
 4. $-\frac{2}{t} + C$
 6. $\frac{1}{9}(x^3 - 4)^3 + C$
 8. $\frac{1}{2} \ln |x^2 + 3| + C$
 24. $y = \frac{x^3}{6} + \frac{9}{2}x - 18$

6 Formulas

Indefinite Integrals

$$\int f(x) \, dx = F(x) + C \quad (\text{where } f(x) = F'(x)) \quad (1)$$

$$\int du = u + C \quad (2)$$

$$\int a f(x) \, dx = a \int f(x) \, dx = a F(x) + C \quad (3)$$

$$\int [f(x) + g(x) + \dots] \, dx = \int f(x) \, dx + \int g(x) \, dx + \dots \quad (4)$$

$$\int x^n \, dx = \frac{x^{n+1}}{n+1} + C \quad (n \neq -1) \quad (5)$$

$$\int u^n \, du = \frac{u^{n+1}}{n+1} + C \quad (n \neq -1) \quad (6)$$

$$\int \frac{du}{u} = \ln |u| + C \quad (7)$$

Note that a is a *constant* in (3). In formulas (6) and (7) u is a function of x (for example $u = 2x^2 + 9$) and $du = \frac{du}{dx} dx$, where $\frac{du}{dx}$ is the derivative of u with respect to x .

Derivatives

$$\frac{d}{dx}(a) = 0$$

$$\frac{d}{dx}(x^n) = nx^{n-1}$$

$$\frac{d}{dx}(au) = a \frac{du}{dx}$$

$$\frac{d}{dx}(u+v) = \frac{du}{dx} + \frac{dv}{dx}$$

$$\frac{d}{dx}(uv) = u \frac{dv}{dx} + v \frac{du}{dx}$$

$$\frac{d}{dx}\left(\frac{u}{v}\right) = \frac{v \frac{du}{dx} - u \frac{dv}{dx}}{v^2}$$

$$\frac{dy}{dx} = \frac{dy}{du} \cdot \frac{du}{dx}$$

$$\frac{d}{dx}(u^n) = nu^{n-1} \frac{du}{dx}$$

In these formulas a is a *constant*, u and v are *functions* of x .

Version 1.3, 3 November 2008
Copyright © 2000, 2001, 2002, 2007, 2008 Free Software Foundation, Inc.
<<http://fsf.org/>>
Everyone is permitted to copy and distribute verbatim copies of this license document, but changing it is not allowed.

You may copy and distribute the Document in any medium, either commercially or noncommercially, provided that this License, the copyright notices, and the license notice saying this License applies to the Document are reproduced in all copies. You may not use technical measures to obstruct or control the reading or use of this License. You may not use technical measures to obstruct or control the reading or use of copies you make or distribute. However, you may accept compensation in exchange for copies. If you distribute a large number of copies you must also follow the conditions in section 3.

3. COPYING IN QUANTITY

If you publish printed copies (or copies in media that commonly have printed covers) of the Document, numbering more than 100, and the Document's license requires you to provide a front cover for the copies, each cover must carry, clearly and legibly, all these Cover Texts: Front-Cover Texts on the front cover, and Back-Cover Texts on the back cover. Both covers must also carry, clearly and legibly, identify you as the publisher of these copies. The front cover must present the full text of the License verbatim. You may add other material on the covers in addition. Copying with changes limited to the covers, as long as they preserve the title of the Document and satisfy these conditions, can be treated as verbatim copying in other respects.

If the required texts for either cover are too voluminous to fit legibly, you may put the texts only in the back cover, as long as it is reasonably convenient to continue the rest on adjacent pages.

The License applies to any manual or other work, in any medium, that contains a notice placed by the copyright holder saying it can be distributed under the terms of this License. Such a notice grants you the right to copy, distribute, or create new works from this manual or work, royalty-free, under the License. For the purposes of this License, a notice that says "Approved for public release; distribution is unlimited" is equivalent to the notice "Authorized for public release under the terms of the public domain." Below, refers to any such manual or work. Any member of the public is a licensee, and is addressed as "you." You accept the license if you copy, modify or distribute the work in a way requiring permission under copyright law. A. A **Modified Version** of the Document means any work containing the Document or a portion of it, with additions or deletions, or with material copied from other sources, that is released under a different license.

[illegible]

The "Cover Texts" are certain short passages of text that are listed, as Prologue or Epilogue, before or after the main body of Text under the terms of the Cover License. This includes the text of any frontmatter or backmatter, including the title page, that is part of the Document in its entirety. A Document that contains no Cover Texts will be at least 5 words, and a Document that contains Cover Texts will be at least 25 words.

A "Transparent" copy of the Document means a machine-readable copy, represented in a format whose specification is available to the general public, that is suitable for revising the document straightforwardly with generic text editors or text processing systems (as described in paragraphs 4, 5, 6, 7, and 8 of the GNU Free Documentation License), for automatic translation to a variety of formats suitable for input to text formatters (as described in paragraph 9 of the GNU Free Documentation License), for automatic translation to a variety of formats suitable for input to text processors (as described in paragraph 10 of the GNU Free Documentation License), or for insertion into a system for automatic translation to a variety of formats suitable for input to text formatters. A copy made in an otherwise Transparent file format whose markup, absence of markup, has been arranged to thwart or discourage subsequent modification by readers is not Transparent. An image format without any lossy compression or a lossy image format with marked areas of original image and any change made to an image, such as a redaction, shall not be considered transparent. A copy that is not "Transparent" is called "Opaque".

Examples of suitable formats for Transparent copies include plain ASCII with a markup, TeXinfo input format, LaTeX input format, SGML or XML using a publicly available DTD, and standard-conforming simple HTML, PostScript or PDF designed for text modification. Examples of transparent image formats include GIF, PNG, and compressed (or lossless) JPEG. Proprietary image formats such as XML, which the DTD and/or processing tools are not generally available, and the machine-generated HTML, PostScript or PDF produced by some word processors for output purposes only.

The **"Title Page"** means, for a printed book, the title page itself, plus such following pages as are needed to hold, legibly, the material this License requires appear in the title page. For works in formats which do not have any title page such, "Title Page" means the text near the most prominent appearance of the work's title, preceding the beginning of the body of the text.

The **"publisher"** means any person or entity that distributes copies of the Document to the public.

A section **"Entitled XYZ"** means a named subunit of the Document whose title is either precisely XYZ or contains XYZ in parentheses following text that sustains XYZ in any other language.

These XYZ stands for a specific section, subsection, clause, or term of the Document, which is defined by a particular **"entitlement"**, such as **"Section 1"**, **"Appendix B"**, **"Title 3"**, **"Bibliography"**, **"Cover Texts"**, **"Endpapers"**, or **"History"**.

A **"Preserved Text"** means any text in the Document which is defined by a particular **"entitlement"** and which is designated by, and in, the Document as a **"Preserved Text"**.

When you modify the Document means that it remains a section "Entitled XYZ" according to this definition.

The Document may include Warranty Disclaimers next to the notice which states that this License applies to the Document. These Warranty Disclaimers are considered to be included by reference in this License, but only as regards to the disavowing warranties; any other implication that these Warranty Disclaimers have is void and has no effect on the meaning of this License.

You may copy and distribute a Modified Version of the Document under the conditions of sections 2 and 3 above, provided that you release the Modified Version under precisely this License, with the Modified Version filling the role of the Document, thus licensing distribution and modification of the Modified Version to whoever possesses a copy of it. In addition, you must do these things:

- A. Use in the Title Page (and on the covers, if any) a title distinct from that of the Document, and from those of previous versions (which should, if possible, be preserved), and use the same title as a previous version if the original publisher of that version gives permission.
- B. List on the Title Page, as authors, one or more persons (entities responsible for the output of the modifications) who worked together with the original publisher of the Document, and the Document's original authors, if it has fewer than five), unless they release you from this requirement.
- C. State on the Title Page the name of the publisher of the Modified Version.
- D. Preserve all the copyright notices of the Document.

- E. Add an appropriate copyright notice for your modifications adjacent to the other copyright notices.
- F. Include, immediately after the copyright notices, a license notice giving the public permission to use the Modified Version under the terms of this License, in the form shown in the Addendum below.
- G. Preserve that license notice the full lists of Invariant Sections and required Cover Texts given in the Document's license notice.

I. Include an unaltered copy of this License. Preserve the section entitled "History". Preserve its Title, and add to it an item stating at least the title, year, new authors, and publisher of the Modified Version as given on the Title Page. If there is no section entitled "History" in the Document, create one stating the title, year, authors, and publisher of the Document as given on its Title Page, then add an item describing the Modified Version as stated in the previous sentence.

J. Preserve the network location, if any, given in the Document for public access to a Transparent copy of the Document, and likewise the network locations given in the Document for previous versions it was based on. These may be placed in the "History" section. You may omit a network location for a work that was published at least four years before the Document itself, or if the original publisher of the version it refers to gives permission.

K. For any section Entitled "Acknowledgements" or "Dedications", Preserve the Title of the section, and preserve in the section all the substance and tone of each of the contributor acknowledgements and/or dedications given therein.

L. Preserve all the Invariant Sections of the Document, unaltered in their text and in their titles. Section numbers or the equivalent are not considered part of the section titles.

M. Delete any section Entitled "Endorsements". Such a section may not be included in the Modified Version.

N. Do not retile any existing section to be Entitled "Endorsements" or to conflict in title with any Invariant Section.

O. Preserve any Warranty Disclaimer.

You may make a collection consisting of the Document and other documents released under this License, and replace the individual copies of this License in those documents with a single copy that is included in the collection, provided that you follow the rules of this License for verbatim copying of each of those documents in all other respects.

You may extract a single document from such a collection, and distribute it separately under this License, provided you insert a copy of this License into the document, and follow the rules of this License in all other respects regarding verbatim copying of that document.

WORKS

A compilation of the Document or its derivatives with other separate and independent documents or works, in or on a volume or a storage or distribution medium, is called an "aggregate" if the copyright resulting from the compilation and any separate copyright in any of the individual works permit. When the Document is included in an aggregate, this License does not apply to the other works in the aggregate which are themselves derivative works of the Document.

Notwithstanding the above, nothing is applicable to these copies of the Document, then if the Document is less than one half of the entire aggregate, the Document's Cover Texts may be placed on covers that bracket the Document within the aggregate, or the electronic equivalent of covers if the Document is in electronic form. Otherwise they must appear on printed covers that bracket the Document within the aggregate.

Translation is considered a kind of modification, so you may distribute translations of the Document under the terms of section 4. Replacing Invariant Sections with translations requires special permission from their copyright holders, but you may include a translation of any section if you replace the original version of that section with a translation. Sections marked with this license, and all the license notices in the Document, and any Warranty or Disclaimer notices, provided that you also include the original English version of that notice in the translation, may be included in the translation of this License or may be removed without prejudice. Any section removed in this manner must be noticed or disclaimed; the original version will prevail.

If a section in the Document is Entitled "Acknowledgements", "Dedications", or "List of Contributors", you may include the section in the translation of this Document under the same title, provided that you preserve the section's 1) title (and preserve all the text inside of it), and 2) that you include the original version of the section in the translation of this Document under the same title, provided that you preserve the section's 1) title (and preserve all the text inside of it).

You may not copy, modify, sublicense, or distribute the Document except as expressly provided under this License. Any attempt otherwise to copy, modify, sublicense, or distribute it is void, and will automatically terminate your rights under this License.

The Free Software Foundation may publish new, revised versions of the GNU Free Documentation License from time to time. Such new versions will be similar in spirit to the present version, but may differ in detail to address new problems or concerns. See <http://www.gnu.org/copyleft/>.

Each version of the License is given a distinguishing version number. If the Document specifies that a particular numbered version of this License "or any later version" applies to the contents of the Document, you have the option of applying the License to those contents (your option will not be valid if the Document specifies that the version number is "1.0" or "any later version" but the Document's license text is not yet published, for example).

"Massive Multiauthor Collaboration Site" (or "MMC Site") means any World Wide Web server that publishes copyrightable works and also provides prominent facilities for anybody to edit those works. A public wiki that anybody can edit is an example of such a server. A Massive Multiauthor Collaboration Site on the MMC site means any set of copyrightable works thus published on the MMC site.

"CC-BY-SA" means the Creative Commons Attribution-Share Alike 3.0 license published by Creative Commons Corporation, a not-for-profit corporation with a principal place of business in San Francisco, California, as well as future versions of that license that may be published by that same organization. "Incorporate" means to publish or republish a Document, whole or in part, as part of another Document.

An MMC is "eligible for relicensing" if it is licensed under this License, and if all works that were first relicensed under this License somewhere other than this MMC, and subsequently incorporated in whole or in part into the MMC, (1) had no cover texts or invariant sections, and (2) were thus incorporated prior to November 1, 2008.

The operator of an MMC Site may republish an MMC contained in the site under CC-BY-SA on the same site at any time before August 1, 2009, provided the MMC is eligible for relicensing.

your documents

To use this License in a document you have written, include a copy of the License in the document and put the following copyright and license notices just after the title page:

Copyright © YEAR YOUR NAME. Permission is granted to copy, distribute and/or modify this document under the terms of the GNU Free Documentation License, Version 1.3 or any later version published by the Free Software Foundation; with no Invariant Sections, no Front-Cover Texts, and no Back-Cover Texts. A copy of the license is included in the section entitled "GNU Free Documentation License".

If you have Invariant Sections, Front-Cover Texts and Back-Cover Texts, replace the "with ... Texts." line with this:

with the Invariant Sections being LIST THEIR TITLES, with the Front-Cover Texts being LIST, and with the Back-Cover Texts being LIST.

If you have Invariant Sections without Cover Texts, or some other combination of the three, merge those two alternatives to suit the situation.

If your document contains nontrivial examples of program code, we recommend releasing these examples in parallel under your choice of free software license, such as the GNU General Public License, to permit their use in free software.